



GUANGDONG ARCAIR APPLIANCE CO., LTD.

📍 No.37,Shunxiang Road,Fengxiang Industrial park,
Daliang,Shunde,Foshan,Guangdong,China

☎ 86-757-29996501 📠 86-757-22301165

🌐 www.arcair.com.cn

✉ info@arcair.com.cn



**KITCHEN APPLIANCES
COLLECTION**
2022



DEKRA CB CE RoHS REACH ErP

EMC SAA S NOM SASO



ABOUT ARCAIR

For over 15 years, ARCAIR shareholders are active in Cooker Hood Research and Development related job, in 2011, ARCAIR formally established with the ambition to make cooker hood the ART of AIRVENTILATION, target to service worldwide customers by Innovation Quality Patent support products. Together with Co Design partner from Italy (MI) Bollate, ARCAIR keep launching innovative products to our partnership customer, same time, ARCAIR tied up with German Lab (Applitest) to do the product lifetime test to ensure all products ranges are in the latest safety requirement to the worldwide.

Ranking among the TOP No. 5 cooker hood exporter, ARCAIR keep investing in R&D and Automation production line, with the help of Robot Polishing, Robot Welding, Robot Motor Housing Assembly, our products are high satisfied by our customers. In early 2019, ARCAIR launched the PATENT PLASMA system to the market in order to offer a good solution for the Kitchen Ordor and Improve the Kitchen Indoor AIR quality.

Till to now, ARCAIR get 95 worldwide Patents and we keep doing more, in 2018, our new Laboratory certified by DEKRA in fully use assisting us to do more quality innovation products, now total production capacity are over 800000 pcs/year.

CONTENTS

1-T Shape

2-3 Pyramid

5-Curved Glass

6-Flat Glass

7-Slant

8-Island

9-Slim/Built-in

Accessories

Induction Hob






**Certificate
Red Dot Winner 2021**

The Red Dot is the award for high design quality. The international jury for the Red Dot Award:Product Design only awards this sought-after seal of quality to products that feature an outstanding design. In 2021, in the category "Kitchen Appliances and Kitchen Accessories", it is presented to:

Non-traditional Cooker Hood

Manufacturer:
GUANGDONG ARCAIR APPLIANCE Co.,Ltd.
FOSHAN, China
In-house design



**reddot winner 2021
best of the best**



**2020
Gold Award**

Electronics and Electrical Products
Guangdong Arcair Appliance Co,Ltd
833 BLACK


INTELLIGENT LUXURIOUS AESTHETIC

Arcair Appliance is always busy involving in kitchen hood balancing aesthetic and utility. Model 833,a cooker hood reminds you of bloom,a handcraft makes your heart flipped. It's intelligence beyond your imagination as its reliability within your anticipation. So never addicted to its beauty too much, just turn it on, start a marvellous journey of cooking.


Model 833 widely-admitted and well-known when receiving award from authorities one after another, this is the very intention Arcair holding. We'll adhere to our originals and continue to move forward, to be better hood, to be your mood, to help you enjoy a healthier food.

Energy Efficiency Label

has been involved into different product range and a basic requirement. Not only European market but expand to most area globally. In an attempt to keep up with advances in Energy Efficiency.A+.A++and A+++ Class were later introduced for varies markets.



- A** At the top is always shown the brand and model name of the cooker hood. Energy Efficiency:
- B** Indicates the class of consumption which belong each product. It's obtained by a calculation that takes onto account different articulated parameters of the cooker hood.
- C** **Annual Energy Consumption:**
Expressed in kWh.Consider an estimated use of one hour per day for the motor and up to three hours for lighting.For Example,60kw/h per year are about 10/12. Euro of energy bill.
- D** **Fluid Dynamic Efficiency Class:**
Based on the fluid flow rate.pressure and the electric power input.The most efficient date is above 28.
- E** **Lighting Efficiency Class:**
Based on the average illumination and the electric power input.
- F** **Grease Filtering Efficiency:**
Based on the amount of grease retained in the grease filters.
- G** **Noise Level:**
Based on the highest setting for normal use.



Arcair Innovations

Smart Control


Intelligent kitchen appliance is not just an idea now. Smart control for kitchen appliance makes lives fun.Human do not need to control the appliance with old switches, but easily connerted with their phones or coded remotes to start or book time of cooking.Code remote, blue tooth, WiFi already plays important role in appliance control.



Plasma Airfilter

The Plasma Airfilter is intended to remove airborne dust particles,pollen,micro-organisms(house dust mites,bacteria,viruses and moulds),cigarettesmoke and smells from the air.

1. Works on a recirculation basis.In this way,no energy or heat is lost.
2. Smells,pollen,allergens,grease and other coarse pollutants are filtered outof the air by means of plasamade recirculation.
3. Self-cleaning filter.No mechanical pre-filter needed.the filter cleans itself.
4. Makes no noise and in fact has a noise-reducing effect on the equipment on which the filter is applied.
5. Very low power consumption(10 watts) dus to DC technology and a 12 volt connection.



High Technology Motor System

DC motor has been widely applicated into cooker hood business in pass two years.However . price is very high that not much people accept. Arcair owns its new technology on better system, higher efficiency,lower cost, longer life time, quiet, and energy saving. Leading the hood suction revolution idea.



Advanced Materials Application Unique Fashion Design

Arcair has an excellent R&D team.Every year take 5% from budget into R&D to develop New designs and structure improvement. Arcair apply more different new materials onto cooker hood design,Like enviromental protection material, safety material,shaped material.Arcair always keep mind on revolution, and make hood walk in the forefront of the times.





STAINLESS STEEL SERIES

“T” is not only my shape, besides ,
refers my talent,
you would prefer my talent show in your kitchen.

101B




Standard Specifications

Material	Inox Aisi 430
Switch	Electronic switch
Filter	2 pcs Aluminum Filters(60/70cm) 3pcs Aluminum Filters(90cm)
Lighting	2×1.5W LED Lamp
Extraction Power	550m3/h
Motor Type	1×100W
Chimney Extension	400+400mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	229/474/550(60cm) 156/320/368(90cm)

Option

Width	60/70/90cm
Material	Inox Aisi304/Black/White/Brown...Color Painting
Extraction Power	350/750/1000m3/h 650/900m3/h-DC Motor
Switch	Push button/Electronic switch
Booster function	Optional For Electronic Switch,Touch Control
Filter	Baffle Filter/Charcoal Filter/VC Filter
Lighting	LED Strip
Air Outlet	120mm

Unit:mm



106B




Standard Specifications

Material	Inox Aisi 430
	Black Tempered Glass
Switch	Touch control
	3 Speeds
Filter	2 pcs Aluminum Filters(60/70cm) 3 pcs Aluminum Filters(90cm)
Lighting	2×1.5W LED Lamp
Extraction Power	550m3/h
Motor Type	1×100W
Chimney Extension	400+400mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	229/474/550(60cm) 156/320/368(90cm)

Option

Width	60/70/90cm
Material	Inox Aisi304/Black/White/Brown...Color Painting
Extraction Power	350/750/1000m3/h 650/900m3/h-DC Motor
Switch	Push button/Electronic switch
Booster function	Optional For Electronic Switch,Touch Control
Filter	Baffle Filter/Charcoal Filter/VC Filter
Lighting	LED strip
Air outlet	120mm

Unit:mm



107B




Standard Specifications

Material	Inox Aisi 430
	Black Tempered Glass
Switch	Touch control
Filter	2 pcs Aluminum Filters(60/70cm)
	3 pcs Aluminum Filters(90cm)
Lighting	2×1.5W LED Lamp
Extraction Power	550m3/h
Motor Type	1×100W
Chimney Extension	400+400mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	229/474/550(60cm)
	156/320/368(90cm)

Option

Width	60/70/90cm
Material	Inox Aisi304/Black/White/Brown...Color Painting
Extraction Power	350/750/1000m3/h
	650/900m3/h-DC Motor
Switch	Push button/Electronic switch
Booster function	Optional For Electronic Switch
Remote control	Optional for touch control
Filter	Baffle Filter/Charcoal Filter/VC Filter
Air outlet	120mm
Lighting	LED Strip

Unit:mm



108




Standard Specifications

Material	Inox Aisi 430
	Black Tempered Glass
Switch	Touch Control
	3 Speeds
Filter	2 pcs Aluminum Filters(60/70cm)
	3 pcs Aluminum Filters(90cm)
Lighting	2×1.5W LED Lamp
Extraction Power	550m3/h
Motor Type	1×100W
Chimney Extension	500+500mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	215/443/507(60cm)
	144/296/344(90cm)

Option

Width	60/70/90cm
Material	Inox Aisi304/Black/White/Brown...Color Painting
Extraction Power	350/750/1000m3/h
	650/900m3/h-DC Motor
Switch	Electronic Switch/Infrared Light Control
Booster function	Optional For Electronic Switch,Touch Control
Remote Control	Optional For LCD Touch Control
Filter	Baffle Filter/Charcoal Filter/VC Filter
Air outlet	120mm

Unit:mm



109




Standard Specifications

Material	Inox Aisi 430
Switch	Push Button
	3 Speeds
Filter	2 pcs Aluminum Filters(60cm)
	3 pcs Aluminum Filters(90cm)
Lighting	2×2W LED Lamp
Extraction Power	550m³/h
Motor Type	1×100W
Chimney Extension	500+500mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	156/318/352(60cm)
	108/206/240(90cm)

Option

Width	60/90/100/110cm
Material	Inox Aisi304/Black/White/Brown...Color Painting
Extraction Power	350/750/1000m³/h
	650/900m³/h-DC Motor
Switch	Electronic Switch/Touch Control
Booster function	Optional For Electronic Switch,Touch Control
Filter	Baffle Filter/Charcoal Filter/VC Filter
Air outlet	120mm




110



Standard Specifications

Material	Inox Aisi 304
Switch	Push Button
	3 Speeds
Filter	8 pcs Baffle Filters
Lighting	6×2W LED Lamp
Extraction Power	2×1000m³/h
Motor Type	2×320W
Chimney Extension	600+600mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	40/86/129cm

Unit:mm



111




Standard Specifications

Material	Inox Aisi 430
	Black Tempered Glass
Switch	Touch control
	3 Speeds
Filter	2 pcs Aluminum Filters(60/70cm) 3 pcs Aluminum Filters(90cm)
Lighting	1x8W LED Pan
Extraction Power	550m3/h
Motor Type	1x100W
Chimney Extension	500+500mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	215/443/507(60cm) 144/296/344(90cm)


Option

Width	60/70/90cm
Material	Inox Aisi304/Black/White/Brown...Color Painting
Extraction Power	350/750/1000m3/h 650/900m3/h-DC Motor
Switch	Touch Control/Infrared Light Control
Booster function	Optional For Electronic Switch,Touch Control
Remote Control	Optional For LCD Touch Control
Filter	Baffle Filter/Charcoal Filter/VC Filter
Air outlet	120mm

Unit:mm



117B




Standard Specifications

Material	Inox Aisi 430
	Top Black Tempered Glass
Switch	Electronic Switch
	3 Speeds
Filter	2 pcs Aluminum Filters(60/70cm) 3 pcs Aluminum Filters(90cm)
Lighting	2x1.5W LED Lamp
Extraction Power	550m3/h
Motor Type	1x100W
Chimney Extension	400+400mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	229/474/550(60cm) 156/320/368(90cm)

Option

Width	60/70/90cm
Material	Inox Aisi304/Black/White/Brown...Color Painting
Extraction Power	350/750/1000m3/h 650/900m3/h-DC Motor
Switch	Push button/Touch control
Booster function	Optional For Electronic Switch,Touch Control
Filter	Baffle Filter/Charcoal Filter/VC Filter
Air outlet	120mm
Lighting	LED Strip

Unit:mm



118




Standard Specifications

Material	Inox Aisi 430
	Black Tempered Glass
Switch	Touch control
	3 Speeds
Filter	2 pcs Aluminum Filters(60/70cm)
	3 pcs Aluminum Filters(90cm)
Lighting	2×1.5W LED Lamp
Extraction Power	550m3/h
Motor Type	1×100W
Chimney Extension	300+300mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	225/465/558(70cm)
	108/370/444(90cm)

Option

Width	70/90cm
Material	Inox Aisi304/Black/White/Brown...Color Painting
Extraction Power	350/750/1000m3/h
	650/900m3/h-DC Motor
Switch	Push button/Electronic switch
Booster function	Optional For Electronic Switch,Touch Control
Filter	Baffle Filter/Charcoal Filter/VC Filter
Air outlet	120mm
Lighting	LED Strip

Unit:mm



122B




Standard Specifications

Material	Inox Aisi 430
	Black Tempered Glass
Switch	Electronic Knob Switch
	3 Speeds
Filter	2 pcs Aluminum Filters(60/70cm)
	3 pcs Aluminum Filters(90cm)
Lighting	2×1.5W LED Lamp
Extraction Power	550m3/h
Motor Type	1×100W
Chimney Extension	400+400mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	229/474/550(60cm)
	156/320/368(90cm)

Option

Width	60/70/90cm
Material	Inox Aisi304/Black/White/Brown...Color Painting
Extraction Power	350/750/1000m3/h
	650/900m3/h-DC Motor
Switch	Push button/Touch control
Booster function	Optional For Electronic Switch,Touch Control
Filter	Baffle Filter/Charcoal Filter/VC Filter
Air outlet	120mm
Lighting	LED Strip

Unit:mm



125




Standard Specifications

Material	Inox Aisi 430
Switch	Push Button 3 Speeds
Filter	2 pcs Aluminum Filters(60/70cm) 3 pcs Aluminum Filters(90cm)
Lighting	2×2W LED Lamp
Extraction Power	350m3/h
Motor Type	1×65W
Chimney Extension	400+400mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	341/702/780(60cm) 227/472/530(90cm)

Option

Width	60/70/90cm
Material	Inox Aisi304/Black/White/Brown...Color Painting
Extraction Power	350m3/h-A class
Switch	Touch Control/Push button/Electronic switch
Filter	Baffle Filter/Charcoal Filter/VC Filter
Lighting	Normal Lamp/Eco-Halogen Lamp

Unit:mm



125A




Standard Specifications

Material	Inox Aisi 430
Switch	Push Button 3 Speeds
Filter	2 pcs Aluminum Filters(60/70cm) 3 pcs Aluminum Filters(90cm)
Lighting	2×2W LED Lamp
Extraction Power	550m3/h
Motor Type	1×100W
Chimney Extension	400+400mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	233/477/550(60cm) 158/318/370(90cm)

Option

Width	60/70/90cm
Material	Inox Aisi304/Black/White/Brown...Color Painting
Extraction Power	350/750/1000m3/h 650/900m3/h-DC Motor
Switch	Electronic switch /Touch control
Booster function	Optional For Electronic Switch,Touch Control
Filter	Baffle Filter/Charcoal Filter/VC Filter
Air outlet	120mm

Unit:mm



125B




Standard Specifications

Material	Inox Aisi 430
Switch	Black Tempered Glass
	Touch control
	3 Speeds
Filter	2 pcs Aluminum Filters(60/70cm)
	3 pcs Aluminum Filters(90cm)
Lighting	2×1.5W LED Lamp
Extraction Power	550m3/h
Motor Type	1×100W
Chimney Extension	400+400mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	233/477/550(60cm)
	158/318/370(90cm)

Option

Width	60/70/90cm
Material	Inox Aisi304/Black/White/Brown...Color Painting
Extraction Power	350/750/1000m3/h
	650/900m3/h-DC Motor
Switch	Push button /Electronic switch
Booster function	Optional For Electronic Switch.Touch Control
Filter	Baffle Filter/Charcoal Filter/VC Filter
Air outlet	120mm

Unit:mm



126




Standard Specifications

Material	Inox Aisi 430
Switch	Push Button
	3 Speeds
Filter	1 pcs Aluminum Filter(60/90cm)
Lighting	2×2W LED Lamp
Extraction Power	550m3/h
Motor Type	1×100W
Chimney Extension	300mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	220/447/520(90cm)

Option

Width	60/90cm
Material	Inox Aisi304/Black/White/Brown...Color Painting
Extraction Power	350/750/1000m3/h
	650/900m3/h-DC Motor
Switch	Electronic switch /Touch control
Filter	Charcoal Filter/VC Filter
Air outlet	120mm

Unit:mm



126A




Standard Specifications

Material	Inox Aisi 430
Switch	Touch control
	3 Speeds
Filter	2 pcs Aluminum Filters(60/70cm)
	3 pcs Aluminum Filters(90cm)
Lighting	LED Strip
Extraction Power	550m3/h
Motor Type	1x100W
Chimney Extension	300mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	215/443/507(60cm)
	144/296/344(90cm)

Option

Width	60/70/90cm
Material	Inox Aisi304/Black/White/Brown...Color Painting
Extraction Power	350/750/1000m3/h
	650/900m3/h-DC Motor
Switch	Push button /Electronic switch
Filter	Baffle Filter/Charcoal Filter/VC Filter
Lighting	LED Lamp
Air outlet	120mm

Unit:mm



129




Standard Specifications

Material	Inox Aisi 430
	Black Tempered Glass
Switch	Touch control
	3 Speeds
Filter	2 pcs Aluminum Filters(60/70cm)
	3 pcs Aluminum Filters(90cm)
Lighting	LED Strip
Extraction Power	550m3/h
Motor Type	1x100W
Chimney Extension	500+500mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	215/443/507(60cm)
	144/296/344(90cm)

Option

Width	60/70/90cm
Material	Inox Aisi304/Black/White/Brown...Color Painting
Extraction Power	350/750/1000m3/h
	650/900m3/h-DC Motor
Filter	Baffle Filter/Charcoal Filter/VC Filter
Air outlet	120mm

Unit:mm



132A




Standard Specifications

Material	Inox Aisi 430
	Black Tempered Glass
Switch	Touch control
	3 Speeds
Filter	1xBaffle Filer
Lighting	LED Lamp
Extraction Power	750m3/h
Motor Type	1x210W
Chimney Extension	450+450mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	120/256/320(90cm)

Option

Width	60/70/90cm
Material	Inox Aisi304/Black/White/Brown...Color Painting
Extraction Power	850/1000m3/h
Filter	Charcoal Filter/VC Filter
Switch	Push button/Electronic switch/Motion touch control
Air outlet	120mm

Unit:mm



132B




Standard Specifications

Material	Inox Aisi 430
	Black Tempered Glass
Switch	Touch control
	3 Speeds
Filter	SS Oval filter Filters
Lighting	LED Lamp
Extraction Power	750m3/h
Motor Type	1x210W
Chimney Extension	450+450mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	120/256/320(90cm)

Option

Width	90cm
Extraction Power	850/1000m3/h
Switch	Push button /Electronic switch
Filter	Charcoal Filter/VC Filter
Air outlet	120mm

Unit:mm





STAINLESS STEEL SERIES

Graceful pyramid hoods,
remind you of a balanced diet,
keeping healthy starting from kitchen.

201




Standard Specifications

Material	Inox Aisi 430
Switch	Push Button
	3 Speeds
Filter	2 pcs Aluminum Filters(50/60/70cm)
	3 pcs Aluminum Filters(90cm)
Lighting	2×40W Normal Lamp
Extraction Power	350m3/h
Motor Type	1×65W
Chimney Extension	400+400mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	320/668/800(60cm)
	216/448/496(90cm)

Option

Width	50/60/70/90cm
Material	Inox Aisi304/Black/White/Brown...Color Painting
Filter	Baffle Filter/Charcoal Filter/VC Filter
Extraction Power	350m3/h -A class
Air outlet	120mm



201A




Standard Specifications

Material	Inox Aisi 430
Switch	Push Button
	3 Speeds
Filter	2 pcs Aluminum Filters(60/70cm)
	3 pcs Aluminum Filters(90cm)
Lighting	LED Lamp
Extraction Power	350m3/h
Motor Type	1×65W
Chimney Extension	400+400mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	347/746/880(60cm)
	240/470/550(90cm)

Option

Width	60/90cm
Material	Inox Aisi304/Black/White/Brown...Color Painting
Filter	Baffle Filter/Charcoal Filter/VC Filter
Extraction Power	350m3/h -A class
Air outlet	120mm



206




Standard Specifications

Material	Inox Aisi 430
Switch	Push Button
	3 Speeds
Filter	2 pcs Aluminum Filters(50/60/70cm)
	3 pcs Aluminum Filters(90/100cm)
Lighting	2×40W Normal Lamp
Extraction Power	550m3/h
Motor Type	1×100W
Chimney Extension	400+400mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	248/516/583(60cm)
	168/344/392(90cm)
	156/328/372(100cm)

Option

Width	50/60/90/100cm
Material	Inox Aisi304/Black/White/Brown...Color Painting
Extraction Power	350/750/1000m3/h
	650/900m3/h-DC Motor
Switch	Electronic switch /Touch control
Booster function	Optional For Electronic Switch,Touch Control
Filter	Baffle Filter/Charcoal Filter/VC Filter
Lighting	LED Lamp
Air outlet	120mm

Unit:mm



206B




Standard Specifications

Material	Inox Aisi 430
Switch	Touch control
	3 Speeds
Filter	2 pcs Aluminum Filter(75cm)
	3 pcs Aluminum Filters(90cm)
Lighting	1×8W LED Panel
Extraction Power	550m3/h
Motor Type	1×100W
Chimney Extension	400+400mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	168/344/392(90cm)

Option

Width	75/90cm
Material	Inox Aisi304/Black/White/Brown...Color Painting
Extraction Power	350/750/1000m3/h
	650/900m3/h-DC Motor
Switch	Electronic switch
Booster function	Optional For Electronic Switch,Touch Control
Filter	Charcoal Filter/VC Filter
Air outlet	120mm

Unit:mm



301




Standard Specifications

Material	Inox Aisi 430
Switch	Push Button
	3 Speeds
Filter	2 pcs Aluminum Filters(50/60/70cm)
	3 pcs Aluminum Filters(90cm)
Lighting	2×40W Normal Lamp
Extraction Power	550m3/h
Motor Type	1×100W
Chimney Extension	400+400mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	247/503/580(60cm)
	216/448/496(90cm)

Option

Width	50/60/70/90cm
Material	Inox Aisi304/Black/White/Brown...Color Painting
Extraction Power	350/750/1000m3/h
	650/900m3/h-DC Motor
Switch	Electronic switch /Touch control
Booster function	Optional For Electronic Switch,Touch Control
Filter	Baffle Filter/Charcoal Filter/VC Filter
Lighting	LED Lamp
Air outlet	120mm

Unit:mm



301A




Standard Specifications

Material	Metal cream coating
Switch	Push Button
	3 Speeds
Filter	2 pcs Aluminum Filters(60/70cm)
	3 pcs Aluminum Filters(90cm)
Lighting	2×40W Normal Lamp
Extraction Power	550m3/h
Motor Type	1×100W
Chimney Extension	400+400mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	247/431/503(60cm)
	147/300/340(90cm)

Option

Width	60/90cm
Material	Inox Aisi304/Black/White/Brown...Color Painting
Extraction Power	350/750/1000m3/h
	650/900m3/h-DC Motor
Switch	Electronic switch /Touch control
Booster function	Optional For Electronic Switch,Touch Control
Filter	Baffle Filter/Charcoal Filter/VC Filter
Lighting	LED Lamp
Air outlet	120mm

Unit:mm



302




Standard Specifications

Material	Inox Aisi 430
Switch	Push Button
	3 Speeds
Filter	2 pcs Aluminum Filters(50/60/70cm)
	3 pcs Aluminum Filters(90cm)
Lighting	2×40W Normal Lamp
Extraction Power	550m3/h
Motor Type	1×100W
Chimney Extension	400+400mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	247/503/580(60cm)
	216/448/496(90cm)

Option

Width	60/90cm
Material	Inox Aisi304/Black/White/Brown...Color Painting
Extraction Power	350/750/1000m3/h
	650/900m3/h-DC Motor
Switch	Electronic switch /Touch control
Booster function	Optional For Electronic Switch,Touch Control
Filter	Baffle Filter/Charcoal Filter/VC Filter
Lighting	LED Lamp
Air outlet	120mm

Unit:mm



308




Standard Specifications

Material	Inox Aisi 430
Switch	Electronic switch
	3 Speeds
Filter	2 pcs Aluminum Filters(60/70cm)
	3 pcs Aluminum Filters(90cm)
Lighting	2×1.5W LED Lamp
Extraction Power	550m3/h
Motor Type	1×100W
Chimney Extension	400+400mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	204/417/480(60cm)
	141/292/332(90cm)

Option

Width	60/90/100/110cm
Material	Inox Aisi304/Black/White/Brown...Color Painting
Extraction Power	350/750/1000m3/h
	650/900m3/h-DC Motor
Switch	Push button Touch Control
Booster function	Optional For Electronic Switch,Touch Control
Filter	Baffle Filter/Charcoal Filter/VC Filter
Lighting	LED Strip
Air outlet	120mm

Unit:mm



309




Standard Specifications

Material	Inox Aisi 430
Switch	Push Button
	3 Speeds
Filter	2 pcs Aluminum Filters(60cm)
	3 pcs Aluminum Filters(90cm)
Lighting	2×40W Normal Lamp
Extraction Power	550m3/h
Motor Type	1×100W
Chimney Extension	400+400mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	247/431/503(60cm)

Option

Width	60/90cm
Material	Inox Aisi304/Black/White/Brown...Color Painting
Extraction Power	350/750/1000m3/h
	650/900m3/h-DC Motor
Switch	Electronic switch /Touch control
Booster function	Optional For Electronic Switch Touch Control
Filter	Baffle Filter/Charcoal Filter/VC Filter
Lighting	LED Lamp
Air outlet	120mm

Unit:mm





GLASS SERIES

Glass appears with elegant arc,
like an artwork in the air,
gathering the fumes,returning the nature of fresh air.

501F




Standard Specifications

Material	Inox Aisi 430
	Tempered Glass
Switch	Touch Control
	3 Speeds
Filter	3 pcs Aluminum Filters
Lighting	2×1.5W LED Lamp
Extraction Power	550m3/h
Motor Type	1×100W
Chimney Extension	500+500mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	124/256/300(90cm)

Option

Width	90cm
Material	Inox Aisi304/Black/White/Brown...Color Painting
	Smoke Grey Tempered Glass
Extraction Power	350/750/1000m3/h
	650/900m³/h - DC Motor
Switch	Electronic Switch / Push Button
Booster function	Optional For Electronic Switch, Touch Control
Filter	Baffle Filter/Charcoal Filter/VC Filter
Air outlet	120mm



502




Standard Specifications

Material	Inox Aisi 430
	Tempered Glass
Switch	Push Button
	3 Speeds
Filter	1 pcs Aluminum Filter(60/70cm)
	2 pcs Aluminum Filters(90cm)
Lighting	2×2W LED Lamp
Extraction Power	550m3/h
Motor Type	1×100W
Chimney Extension	500+500mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	192/404/479(60cm)
	124/252/275(90cm)

Option

Material	Inox Aisi304/Black/White/Brown...Color Painting
	Smoke Grey Tempered Glass
Extraction Power	350/750/1000m3/h
	650/900m³/h - DC Motor
Switch	Electronic Switch/Touch Control
Booster function	Optional For Electronic Switch, Touch Control
Filter	Baffle Filter/Charcoal Filter/VC Filter
Air outlet	120mm



502B




Standard Specifications

Material	Inox Aisi 430
	Tempered Glass
Switch	Touch Control
	3 Speeds
Filter	2 pcs Aluminum Filters
	SS Perimeter Filter
Lighting	2×1.5W LED Lamp
Extraction Power	550m3/h
Motor Type	1×100W
Chimney Extension	500+500mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	(75cm)
	124/256/300(90cm)

Option

Width	60/70/90cm
Material	Inox Aisi304/Black/White/Brown...Color Painting
	White Front Glass Panel
	Smoke Grey Tempered Glass
Extraction Power	350/750/1000m3/h
	650/900m3/h-DC Motor
Switch	Push button/Electronic switch
Booster function	Optional For Electronic Switch,Touch Control
Filter	Baffle Filter/Charcoal Filter/VC Filter
Air outlet	120mm



506B




Standard Specifications

Material	Inox Aisi 430
	Tempered Glass
Switch	Push Button
	3 Speeds
Filter	1 pcs Aluminum Filter(60/70cm)
	2 pcs Aluminum Filters(90cm)
Lighting	2×2W LED Lamp
Extraction Power	550m3/h
Motor Type	1×100W
Chimney Extension	500+500mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	208/440/507(60cm)
	144/296/336(90cm)

Option

Width	60/70/90cm
Material	Inox Aisi304/Black/White/Brown...Color Painting
	Arylic front panel
	Smoke Grey Tempered Glass
Extraction Power	350/750/1000m3/h
	650/900m3/h-DC Motor
Switch	Electronic Switch/Touch Control
Booster function	Optional For Electronic Switch,Touch Control
Filter	Baffle Filter/Charcoal Filter/VC Filter
Air outlet	120mm



506E




Standard Specifications

Material	Inox Aisi 430
	Tempered Glass
Switch	Touch Control
	3 Speeds
Filter	1 pc Aluminum Filter (60/70cm)
	2 pcs Aluminum Filters
Lighting	2×1.5W LED Lamp
Extraction Power	550m3/h
Motor Type	1×100W
Chimney Extension	500+500mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	208/440/507(60cm)
	144/296/336(90cm)

Option

Width	60/70/90cm
Material	Inox Aisi304/Black/White/Brown...Color Painting
	Smoke Grey Tempered Glass
Extraction Power	350/750/1000m3/h
	650/900m3/h-DC Motor
Switch	Push button/Electronic Switch
Booster function	Optional For Electronic Switch,Touch Control
Filter	Baffle Filter/Charcoal Filter/VC Filter
Air outlet	120mm

Unit:mm



506D




Standard Specifications

Material	Inox Aisi 430
	Tempered Glass
Switch	Push Button
	3 Speeds
Filter	1 pcs Aluminum Filter
Lighting	1x2W LED Lamp
Extraction Power	550m3/h
Motor Type	1×100W
Chimney Extension	400+400mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	255/540/648(60cm)
	168/355/398(90cm)

Option

Width	60/70/90cm
Material	Inox Aisi304/Black/White/Brown...Color Painting
	Acrylic Front Panel
	Smoke Grey Tempered Glass
Extraction Power	350/750/1000m3/h
	650/900m3/h-DC Motor
Filter	Charcoal Filter/VC Filter
Air outlet	120mm

Unit:mm





509A




Standard Specifications

Material	Inox Aisi 430
	Tempered Glass
Switch	Touch Control
	3 Speeds
Filter	1 pcs Stainless Steel filter
Lighting	2x1.5W LED Lamp
Extraction Power	750m3/h
Motor Type	1x210W
Chimney Extension	500+500mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	120/240/240(90cm)

Option

Width	90cm
Material	Black coated
	Acylic Front Panel(Push Button)
	Smoke Grey Tempered Glass
Extraction Power	850/1000m3/h
	650-900m3/h-DC Motor
Switch	Push button/Electronic switch/Motion touch control
Booster function	Optional For Electronic Switch,Touch Control
Filter	Baffle Filter/Charcoal Filter/VC Filter
Air outlet	120mm

Unit:mm



509B




Standard Specifications

Material	Inox Aisi 430
	Tempered Glass
Switch	Touch Control
	3 Speeds
Filter	1 pcs Stainless Steel filter
Lighting	2×1.5W LED Lamp
Extraction Power	750m3/h
Motor Type	1×210W
Chimney Extension	500+500mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	120/240/240(90cm)

Option

Width	70/90cm
Material	Black coated
	Acrylic Front Panel(Push Button)
	Smoke Grey Tempered Glass
Extraction Power	850/1000m3/h
	650-900m3/h-DC Motor
Switch	Push button/Electronic switch/Motion touch control
Filter	Optional For Electronic Switch,Touch Control
Air outlet	Baffle Filter/Charcoal Filter/VC Filter
	120mm

Unit:mm



509C




Standard Specifications

Material	Inox Aisi 430
	Tempered Glass
Switch	Touch Control
	3 Speeds
Filter	1 pcs Stainless Steel filter
Lighting	2×1.5W LED Lamp
Extraction Power	750m3/h
Motor Type	1×210W
Chimney Extension	500+500mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	172/340/385(60cm)
	116/248/268(90cm)

Option

Width	70/90cm
Material	Black coated
	Acrylic Front Panel(Push Button)
	Smoke Grey Tempered Glass
Extraction Power	850/1000m3/h
	650-900m3/h-DC Motor
Switch	Push button/Electronic switch/Motion touch control
Booster function	Optional For Electronic Switch,Touch Control
Filter	Baffle Filter/Charcoal Filter/VC Filter
Air outlet	120mm

Unit:mm





GLASS SERIES

There is no exact word could describe the true glamour of this type of cooker hood.




Standard Specifications

Material	Inox Aisi 430
	Tempered Glass
Switch	Push Button
	3 Speeds
Filter	1 pcs Aluminum Filter
Lighting	2×2W LED Lamp
Extraction Power	550m3/h
Motor Type	1×100W
Chimney Extension	500+500mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	204/432/504(60cm)
	136/280/322(90cm)

Option

Width	60/90cm
Material	Inox Aisi304/Black/White/Brown...Color Painting
	Smoke Grey Tempered Glass
Extraction Power	350/750/1000m3/h
	650/900m3/h-DC Motor
Switch	Electronic Switch
	Touch Control
Filter	Baffle Filter/Charcoal Filter/VC Filter
Air outlet	120mm

Unit:mm



601D




Standard Specifications

Material	Inox Aisi 430
Switch	Push Button
Filter	3 Speeds
Lighting	1 pcs Aluminum Filter(60/70cm)
Extraction Power	2 pcs Aluminum Filters(90cm)
Motor Type	2x2W Led Lamp
Chimney Extension	550m3/h
Air Outlet	1x100W
Loading QTY(20/40/HQ)	400+400mm
	150mm
	204/432/504(60cm)
	144/296/336(90cm)

Option

Width	60/70/90cm
Material	Inox Aisi304/Black/White/Brown...Color Painting
Extraction Power	Acylic Front Panel(Push Button)
Switch	Smoke Grey Tempered Glass
Booster function	350/750/1000m3/h
Filter	650/900m³/h-DC Motor
Air outlet	Electronic Switch/Touch Control
	Optional For Electronic Switch,Touch Control
	Baffle Filter/Charcoal Filter/VC Filter
	120mm

Unit:mm



602




Standard Specifications

Material	Inox Aisi 430
Switch	Push Button
Filter	3 Speeds
Lighting	1 pcs Aluminum Filter
Extraction Power	2x2W LED Lamp
Motor Type	550m3/h
Chimney Extension	1x100W
Air Outlet	500+500mm
Loading QTY(20/40/HQ)	150mm
	147/299/347(90cm)

Option

Width	60/90cm
Material	Inox Aisi304/Black/White/Brown...Color Painting
Extraction Power	Smoke Grey Tempered Glass
Switch	350/750/1000m3/h
Booster function	650/900m3/h-DC Motor
Filter	Electronic Switch/Touch Control
Air outlet	Optional For Electronic Switch,Touch Control
	Baffle Filter/Charcoal Filter/VC Filter
	120mm

Unit:mm



609R




Standard Specifications

Material	Inox Aisi 430
	Tempered Glass
Switch	Touch Control
	3 Speeds
Filter	1 pcs Aluminum Filter
Lighting	2×1.5W LED Lamp
Extraction Power	550m3/h
Motor Type	1×100W
Chimney Extension	400+400mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	144/306/407

Option

Width	60cm
Material	Black/White Painting
	Black/White Tempered Glass
Extraction Power	350/750/1000m3/h
	650/900m3/h-DC Motor
Filter	Charcoal Filter/VC Filter
Switch	Different Touch Panel
Air outlet	120mm

Unit:mm



609S




Standard Specifications

Material	Inox Aisi 430
	Tempered Glass
Switch	Touch Control
	3 Speeds
Filter	1 pcs Aluminum Filter
Lighting	2×1.5W LED Lamp
Extraction Power	550m3/h
Motor Type	1×100W
Chimney Extension	400+400mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	144/306/407

Option

Width	60cm
Material	Black/White Painting
	Black/White Tempered Glass
Extraction Power	350/750/1000m3/h
	650/900m3/h-DC Motor
Filter	Charcoal Filter/VC Filter
Switch	Different Touch Panel
Air outlet	120mm

Unit:mm



613




Standard Specifications

Material	Inox Aisi 430
Switch	Electronic Switch
	3 Speeds
Filter	1 pcs Aluminum Filter
Lighting	2×1.5W LED Lamp
Extraction Power	550m3/h
Motor Type	1×100W
Air Outlet	150mm
Loading QTY(20/40/HQ)	200/410/460

Option

Width	36cm
Material	Inox Aisi304/Black/White/Brown...Color Painting
Extraction Power	350/750/1000m3/h
	650/900m3h-DC Motor
Switch	Push button/Touch Control
Booster function	Optional For Electronic Switch,Touch Control
Filter	Charcoal Filter/VC Filter
Air outlet	120mm

Unit:mm



617



Optional for color




Standard Specifications

Material	Inox Aisi 430,Paint
Switch	Electronic Switch
	3 Speeds
Filter	1 pcs Aluminum Filter
Lighting	2×1.5W LED Lamp
Extraction Power	550m3/h
Motor Type	1×100W
Chimney Extension	400+400mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	201/421/574(44cm)

Option

Width	44/60cm
Material	Inox Aisi304/Black/White/Brown...Color Painting
Extraction Power	350/750/1000m3/h
	650/900m3h-DC Motor
Switch	Push button/Touch Control
Booster function	Optional For Electronic Switch
Filter	Charcoal Filter/VC Filter
Air outlet	120mm

Unit:mm





SLANT SERIES

Care your head,
dare to lead a new fashion way,
finish painted glass painting your life.

701




Standard Specifications

Material	Black Paint
	Black Tempered Glass
Switch	Touch Control With LCD Display
	3 Speeds
	Remote Control
	Auto Open-Close System
Filter	1 pcs Aluminum Filter
Lighting	2×1.5W LED Lamp
Extraction Power	750m ³ /h
Motor Type	1×210W
Air Outlet	150mm
Loading QTY(20/40/HQ)	96/216/270(60cm)
	80/164/205(90cm)

Option

Width	60/90cm
Material	Inox Aisi304/White Paint
	White/Coffee/Mongolia/Grey Tempered Glass
Extraction Power	350/550/1000m ³ /h
	650/900m ³ /h-DC Motor
Filter	Charcoal Filter/VC Filter
Air outlet	120mm

Unit:mm



705




Standard Specifications

Material	Black Paint
	Black Tempered Glass
Switch	Touch Control
	3 Speeds
Filter	1 pcs Aluminum Filter(60cm)
	2 pcs Aluminum Filters(90cm)
Lighting	2×1.5W LED Lamp
Extraction Power	750m3/h
Motor Type	1×210W
Chimney Extension	400+400mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	128/288/360(60cm)
	96/192/240(90cm)


Option

Width	60/90cm
Material	Inox Aisi304/White Paint
	White/Coffee/Mongolia/Grey Tempered Glass
Extraction Power	350/550/1000m3/h
	650/900m3/h-DC Motor
Filter	Charcoal Filter/VC Filter
Air outlet	120mm

Unit:mm



706




Standard Specifications

Material	Black Paint
	Black Tempered Glass
Switch	Touch Control
	3 Speeds
Filter	1 pcs Aluminum Filter
Lighting	2×1.5W LED Lamp
Extraction Power	750m3/h
Motor Type	1×210W
Chimney Extension	400+400mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	128/288/360(60cm)
	96/192/240(90cm)

Option

Width	60/90cm
Material	Inox Aisi304/White Paint
	White/Coffee/Mongolia/Grey Tempered Glass
Extraction Power	350/550/1000m3/h
	650/900m3/h-DC Motor
Filter	Charcoal Filter/VC Filter
Air outlet	120mm

Unit:mm



707




Standard Specifications

Material	Black Paint
	Black Tempered Glass
Switch	Touch Control
	3 Speeds
Filter	1 pcs Aluminum Filter
Lighting	2×1.5W LED Lamp
Extraction Power	750m3/h
Motor Type	1×210W
Chimney Extension	400+400mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	128/288/360(60cm)
	96/192/240(90cm)

Option

Width	60/90cm
Material	Inox Aisi304/White Paint
	White/Coffee/Mongolia/Grey Tempered Glass
Extraction Power	350/550/1000m3/h
	650/900m3/h-DC Motor
Filter	Charcoal Filter/VC Filter
Air outlet	120mm

Unit:mm



708




Standard Specifications

Material	Black Paint
	Black Tempered Glass
Switch	Touch Control
	3 Speeds
Filter	1 pcs Aluminum Filter
Lighting	2×1.5W LED Lamp
Extraction Power	750m3/h
Motor Type	1×210W
Chimney Extension	400+400mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	108/240/240(58cm)

Option

Width	58cm
Material	Inox Aisi304/White Paint
	White/Coffee/Mongolia/Grey Tempered Glass
Extraction Power	350/550/1000m3/h
	650/900m3/h-DC Motor
Filter	Charcoal Filter/VC Filter
Air outlet	120mm

Unit:mm



708A




Standard Specifications

Material	Black Paint
	White Tempered Glass
Switch	Touch Control
	3 Speeds
Filter	1 pcs Aluminum Filter
Lighting	2×1.5W LED Lamp
	2×8W LED Backlit Strip
Extraction Power	750m3/h
Motor Type	1×210W
Chimney Extension	400+400mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	108/240/240(58cm)

Option

Width	58cm
Material	Inox Aisi304/White Paint
	Black/Coffee/Mongolia/Grey Tempered Glass
Extraction Power	350/500/1000m3/h
	650/900m3/h-DC Motor
Filter	Charcoal Filter/VC Filter
Air outlet	120mm

Unit:mm



708C




Standard Specifications

Material	Black Paint
	Black Tempered Glass
	SS430 Panel
Switch	Electronic Switch
	5 Speeds
Filter	1 pcs Aluminum Filter
Lighting	2×1.5W LED Lamp
Extraction Power	750m3/h
Motor Type	1×210W
Chimney Extension	400+400mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	108/228/228 (60cm)
	84/176/176(90cm)

Option

Width	60/90cm
Material	Inox Aisi304/White Paint
	White/Coffee/Mongolia/Grey Tempered Glass
Extraction Power	350/550/1000m3/h
	650/900m3/h-DC Motor
Filter	Charcoal Filter/VC Filter
Air outlet	120mm

Unit:mm



713




Standard Specifications

Material	Inox Aisi 430, Tempered Glass
Switch	Electronic Switch
	3 Speeds
Filter	1 pcs Aluminum Filter
Lighting	2×1.5W LED Lamp
Extraction Power	750m3/h
Motor Type	1×210W
Chimney Extension	400+400mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	132/280/350 (60cm)
	88/192/240(90cm)

Option

Width	60/90cm
Material	Black/White Paint
	Black/Smoke Grey Tempered Glass
Extraction Power	350/550/1000m3/h
	650/900m3/h-DC Motor
Booster Function	Optional For Electronic Switch
Filter	Charcoal Filter/VC Filter
Air outlet	120mm

Unit:mm



715




Standard Specifications

Material	Inox Aisi 430, Tempered Glass
Switch	Electronic Switch
	3 Speeds
Filter	1 pcs Aluminum Filter
Lighting	2×1.5W LED Lamp
Extraction Power	750m3/h
Motor Type	1×210W
Chimney Extension	500+500mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	140/288/360(60cm)
	88/192/240(90cm)

Option

Width	60/90cm
Material	Black/White Paint
	Black/Smoke Grey Tempered Glass
Extraction Power	350/550/1000m3/h
	650/900m3/h-DC Motor
Booster Function	Optional For Electronic Switch, Touch control
Filter	Charcoal Filter/VC Filter
Switch	Push button/Touch control
Air outlet	120mm

Unit:mm



720




Standard Specifications

Material	Black Paint
	Black Tempered Glass
Switch	Touch Control
	3 Speeds
Filter	1 pcs Aluminum Filter
Lighting	2×1.5W LED Lamp
Extraction Power	750m3/h
Motor Type	1×210W
Chimney Extension	400+400mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	128/288/360(60cm)
	96/192/240(90cm)

Option

Width	60/90cm
Material	Inox Aisi304/White Paint
	White Tempered Glass
Extraction Power	350/550/1000m3/h
	650/900m3/h-DC Motor
Booster Function	Optional For Touch Control
Filter	Charcoal Filter/VC Filter
Air outlet	120mm

Unit:mm



723




Standard Specifications

Material	Black Paint
	Black Tempered Glass
Switch	Touch Control
	3 Speeds
Filter	1 pcs Aluminum Filter
Lighting	2×1.5W LED Lamp
Extraction Power	750m3/h
Motor Type	1×210W
Chimney Extension	400+400mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	128/288/360(60cm)
	96/192/240(90cm)

Option

Width	60/90cm
Material	Inox Aisi304/White Paint
	White Tempered Glass
Extraction Power	350/550/1000m3/h
	650/900m3/h-DC Motor
Booster Function	Optional For Touch Control
Filter	Charcoal Filter/VC Filter
Air outlet	120mm

Unit:mm



723A




Standard Specifications

Material	Black Paint
	Black Tempered Glass
Switch	Touch Control
	3 Speeds
Filter	1 pcs Aluminum Filter
Lighting	2×1.5W LED Lamp
Extraction Power	750m3/h
Motor Type	1×210W
Chimney Extension	400+400mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	128/288/360(60cm)

Option

Width	60cm
Material	Inox Aisi304/White Paint
	White Tempered Glass
Extraction Power	350/550/1000m3/h
	650/900m3/h-DC Motor
Booster Function	Optional For Touch Control
Filter	Charcoal Filter/VC Filter
Air outlet	120mm



725




Standard Specifications

Material	Black Paint
	Black Tempered Glass
Switch	Push Button
	3 Speeds
Filter	1 pcs Aluminum Filter
Lighting	2×2W LED Lamp
Extraction Power	350m3/h
Motor Type	1×65W
Chimney Extension	400+400mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	240/492/525 (60cm)
	160/328/350(90cm)

Option

Width	50/60/70/90cm
Material	Inox Aisi304/White Paint
	Red/White Tempered Glass
Switch	Touch Control
Extraction Power	350m3/h -A class
Filter	Charcoal Filter/VC Filter
Air outlet	120mm



725B




Standard Specifications

Material	Inox Aisi 430
Switch	Push Button 3 Speeds
Filter	1 pcs Aluminum Filter
Lighting	2×2W LED Lamp
Extraction Power	350m3/h
Motor Type	1×65W
Chimney Extension	400+400mm
Air Outlet	120mm
Loading QTY(20/40/HQ)	240/492/525(60cm) 160/328/350(90cm)

Option

Width	50/60/70/90cm
Material	Black/White Paint
Filter	Charcoal Filter/VC Filter
Extraction Power	350m3/h -A class
Air outlet	120mm

Unit:mm



728




Standard Specifications

Material	Black Paint Black Tempered Glass+Inox Aisi430
Switch	Touch Control 3 Speeds
Filter	1 pcs Aluminum Filter
Lighting	2×1.5W LED Lamp
Extraction Power	750m3/h
Motor Type	1×210W
Chimney Extension	400+400mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	96/192/240 (90cm)

Option

Width	90cm
Material	Inox Aisi304/White Paint White Tempered Glass
Remote Control	Optional For Touch Control
Extraction Power	350/550/1000m3/h 650/900-DC motor
Filter	Charcoal Filter/VC Filter
Air outlet	120mm

Unit:mm



728A




Standard Specifications

Material	Black Paint Black Tempered Glass+Inox Aisi430
Switch	Touch Control 3 Speeds
Filter	1 pcs Aluminum Filter
Lighting	2×1.5W LED Lamp
Extraction Power	750m3/h
Motor Type	1×210W
Chimney Extension	400+400mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	96/216/270 (60CM) 80/172/208(90CM)

Option

Width	60/90cm
Material	Inox Aisi304/White Paint White/Coffee/Mongolia/Grey Tempered Glass
Extraction Power	350/550/1000m3/h 650/900-DC motor
Filter	Charcoal Filter/VC Filter
Remote Control	Optional For Touch Control
Air outlet	120mm

Unit:mm



731




Standard Specifications

Material	Black Paint Black Tempered Glass, Inox Aisi430
Switch	Touch Control 3 Speeds
Filter	1 pcs Aluminum Filter
Lighting	2×1.5W LED Lamp
Extraction Power	750m3/h
Motor Type	1×210W
Chimney Extension	400+400mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	132/276/344(63cm)

Option

Width	63cm
Material	Inox Aisi304/White Paint Black/Smoke Grey Tempered Glass
Extraction Power	350/550/1000m3/h 650/900-DC motor
Filter	Charcoal Filter/VC Filter
Air outlet	120mm

Unit:mm



732




Standard Specifications

Material	Black Paint
	Black Tempered Glass+Inox Aisi430
Switch	Electronic Switch
	3 Speeds
Filter	1 pcs SS Filter
Lighting	2×1.5W LED Lamp
Extraction Power	750m3/h
Motor Type	1×210W
Chimney Extension	400+400mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	108/228/285(60cm)

Option

Width	60cm
Material	Inox Aisi304/White Paint
	Black/Smoke Grey Tempered Glass
Extraction Power	350/550/1000m3/h
	650/900-DC motor
Filter	Charcoal Filter/VC Filter
Air outlet	120mm



736




Standard Specifications

Material	Black Paint
	Black Tempered Glass+Inox Aisi430
Switch	Touch Control
	3 Speeds
Filter	1 pcs Aluminum Filter
Lighting	2×1.5W LED Lamp
Extraction Power	750m3/h
Motor Type	1×210W
Chimney Extension	400+400mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	164/336/420(60cm)
	88/192/240(90cm)

Option

Width	60/70/90cm
Material	Inox Aisi304/White Paint
	Black/Smoke Grey Tempered Glass
Switch	Push Button
Extraction Power	350/550/1000m3/h
	650/900-DC motor
Filter	Charcoal Filter/VC Filter
Air outlet	120mm



736A




Standard Specifications

Material	Black Paint
	Black Tempered Glass+Inox Aisi430
Switch	Touch Control
	3 Speeds
Filter	1 pcs Aluminum Filter
Lighting	2×1.5W LED Lamp
Extraction Power	750m3/h
Motor Type	1×210W
Chimney Extension	400+400mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	156/336/420(60CM)
	88/192/240(90CM)

Option

Width	60/70/90cm
Material	Inox Aisi304/White Paint
	Black/Smoke Grey Tempered Glass
Switch	Push Button
Extraction Power	350/550/1000m3/h
	650/900-DC motor
Filter	Charcoal Filter/VC Filter
Air outlet	120mm

Unit:mm



736B




Standard Specifications

Material	Black Paint
	Black Tempered Glass+Inox Aisi430
Switch	Touch Control
	3 Speeds
Filter	1 pcs Aluminum Filter
Lighting	2×1.5W LED Lamp
Extraction Power	750m3/h
Motor Type	1×210W
Chimney Extension	400+400mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	156/336/420(60CM)
	88/192/240(90CM)

Option

Width	60/70/90cm
Material	Inox Aisi304/White Paint
	Black/Smoke Grey Tempered Glass
Switch	Push Button
Extraction Power	350/550/1000m3/h
	650/900-DC motor
Filter	Charcoal Filter/VC Filter
Air outlet	120mm

Unit:mm



736C




Standard Specifications

Material	Black Paint
	Black Paint panel
Switch	Push Button
	3 Speeds
Filter	1 pcs Aluminum Filter
Lighting	2×1.5W LED Lamp
Extraction Power	350m3/h
Motor Type	1×65W
Chimney Extension	400+400mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	270/570/683(60CM)

Option

Material	Inox Aisi304/White Paint
	White/Black Tempered Glass
	Inox Aisi430/White Paint Panel
Filter	Charcoal Filter/VC Filter
Extraction Power	350m3/h -A class
Air outlet	120mm

Unit:mm



737




Standard Specifications

Material	Black Paint
	Black Tempered Glass
Switch	Push Button
	3 Speeds
Filter	1 pcs Aluminum Filter
Lighting	2×2W LED Lamp
Extraction Power	350m3/h
Motor Type	1×65W
Chimney Extension	400+400mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	240/500/530 (50CM)
	240/492/525 (60CM)

Option

Width	50/60/70/90cm
Material	Inox Aisi304/White Paint/Grey Painted
	White/Grey Tempered Glass
Switch	Touch Control
Extraction Power	350m3/h -A class
Filter	Charcoal Filter/VC Filter
Air outlet	120mm

Unit:mm



738




Standard Specifications

Material	Black Paint
	Black Tempered Glass
Switch	Touch Control
	3 Speeds
Filter	1 pcs Aluminum Filter
Lighting	2×1.5W LED Lamp
Extraction Power	750m3/h
Motor Type	1×210W
Chimney Extension	400+400mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	108/240/300 (60cm)
	84/176/220 (90cm)

Option

Width	60/90cm
Material	Inox Aisi304/White Paint
	White/Grey Tempered Glass
Extraction Power	350/550/1000m3/h
	650/900-DC motor
Filter	Charcoal Filter/VC Filter
Air outlet	120mm

Unit:mm



740



Optional color for Marble finishing




Standard Specifications

Material	White Paint
	Marble Finishing Panen
Switch	M-Touch Control
	3 Speeds
Filter	1 pcs Aluminum Filter
Lighting	2×1.5W LED Lamp
Extraction Power	750m3/h
Motor Type	1×210W
Chimney Extension	400+400mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	182/378/432(60cm)
	80/164/205(90cm)

Option

Width	60/70/90cm
Material	Inox Aisi304/White Paint
	Customized Craft Glass/Ceramic
Switch	Touch Control
Extraction Power	350/550/1000m3/h
	650/900-DC motor
Filter	Charcoal Filter/VC Filter
Air outlet	120mm

Unit:mm



Design Island Hood

Raise your head,
perceive a beauty beneath ceiling ,
receive the powerful magic from our island hood.

801




Standard Specifications

Material	Inox Aisi 430
Switch	Tempered Glass
	Push Button
	3 Speeds
Filter	1 pcs Aluminum Filter
Lighting	4×2W LED Lamp
Extraction Power	750m3/h
Motor Type	1×210W
Chimney Extension	600+600mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	72/150/184(90cm)

Option

Width	90/120cm
Material	Inox Aisi304/Black/White/Brown Paint
	Smoke Grey Tempered Glass
Switch	Electronic Switch/Touch Control
Extraction Power	1000m3/h
	650/900m3/h-DC Motor
Booster Function	Optional For Electronic Switch/Touch Control
Filter	Baffle Filter/Charcoal Filter/VC Filter
Air outlet	120mm

Unit:mm



802




Standard Specifications

Material	Inox Aisi 430
Switch	Push Button
	3 Speeds
Filter	3 pcs Aluminum Filters
Lighting	4×2W LED Lamp
Extraction Power	750m3/h
Motor Type	1×210W
Chimney Extension	600+600mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	72/150/184(90cm)

Option

Width	90cm
Material	Inox Aisi304/White Paint/Grey Painted
Extraction Power	1000m3/h
	650/900m3h-DC Motor
Switch	Electronic Button/Touch Control
Booster Function	Optional For Electronic Switch/Touch Control
Filter	Baffle Filter/Charcoal Filter/VC Filter
Air outlet	120mm

Unit:mm



803




Standard Specifications

Material	Inox Aisi 430
Switch	Tempered Glass
	Push Button
	3 Speeds
Filter	2 pcs Aluminum Filters
Lighting	4×2W LED Lamp
Extraction Power	750m3/h
Motor Type	1×210W
Chimney Extension	600+600mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	68/140/184(90cm)

Option

Width	90/120cm
Material	Inox Aisi304/Black/White/Brown... Paint
	Smoke Grey Tempered Glass
Extraction Power	1000m3/h
	650/900m3/h-DC Motor
Switch	Electronic Switch/Touch Control
Booster Function	Optional For Electronic Switch/Touch Control
Filter	Baffle Filter/Charcoal Filter/VC Filter
Air outlet	120mm

Unit:mm



807




Standard Specifications

Material	Inox Aisi 430
Switch	Electronic Switch With Backlight
	3 Speeds
Filter	1 pcs Aluminum Filter
Lighting	2×1.5W LED Lamp
Extraction Power	750m3/h
Motor Type	1×210W
Air Outlet	150mm
Loading QTY(20/40/HQ)	195/420/420

Option

Width	41cm
Material	Inox Aisi304
Extraction Power	1000m3/h
	650/900m3h-DC Motor
Booster Function	Optionic For Electronic Switch,Touch Control
Switch	Electronic Switch/Touch Control
Filter	Charcoal Filter/VC Filter
Air outlet	120mm

Unit:mm



809




Standard Specifications

Material	Inox Aisi 430
	Tempered Glass
Switch	Touch Control
	3 Speeds
Filter	2 pcs Aluminum Filters
Lighting	4×1.5W LED Lamp
Extraction Power	750m3/h
Motor Type	1×210W
Chimney Extension	600+600mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	68/140/184(90cm)

Option

Width	90/120cm
Material	Inox Aisi304/Black/White/Brown... Paint
	Smoke Grey Tempered Glass
Extraction Power	1000m3/h
	650/900m3/h-DC Motor
Switch	Push Button/Electronic Switch
Booster Function	Optional For Electronic Switch/Touch Control
Filter	Baffle Filter/Charcoal Filter/VC Filter
Air outlet	120mm

Unit:mm



810




Standard Specifications

Material	Inox Aisi 430
	Tempered Glass
Switch	Touch Control
	3 Speeds
Filter	3 pcs Aluminum Filters
Lighting	1×8W LED Pan
Extraction Power	750m3/h
Motor Type	1×210W
Chimney Extension	600+600mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	72/150/184(90cm)

Option

Width	90cm
Material	Inox Aisi304/Black/White/Brown... Paint
Extraction Power	1000m3/h
	650/900m3/h-DC Motor
Switch	Electronic Switch/Push Button
Booster Function	Optional For Electronic Switch/Touch Control
Filter	Charcoal Filter/VC Filter
Air outlet	120mm

Unit:mm



820



Optional for color




Standard Specifications

Material	Inox Aisi 430
Switch	Electronic Switch With Backlight
	3 Speeds
Filter	1 pcs Aluminum Filter
Lighting	Full LED Pan
Extraction Power	750m3/h
Motor Type	1×210W
Air Outlet	150mm
Loading QTY(20/40/HQ)	176/368/368

Option

Width	40.5cm
Material	Different Color Painting
Extraction Power	550/1000m3/h
	650/900m3h-DC Motor
Switch	Touch Control
Booster Function	Optional For Electronic Switch/Touch Control
Filter	Charcoal Filter/VC Filter
Air outlet	120mm

Unit:mm



822




Standard Specifications

Material	Inox Aisi 430
Switch	Electronic Switch With Backlight
	3 Speeds
Filter	1 pcs Filter
Lighting	3×1W LED Lamp
Extraction Power	750m3/h
Motor Type	1×210W
Chimney Extension	600+600mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	145/305/365

Option

Width	35cm
Material	Black/White Painting
Extraction Power	1000m3/h
	650/900m3/h-DC Motor
Booster Function	Optional For Electronic Switch
Filter	Charcoal Filter/VC Filter
Lamp	Color LED Belt
Air outlet	120mm

Unit:mm



822A




Standard Specifications

Material	Inox Aisi 430
Switch	Electronic Switch With Backlight
	3 Speeds
Filter	2×1 pcs Filters
Lighting	2×3×1W LED Light
Extraction Power	2×750m3/h
Motor Type	2×210W
Chimney Extension	600+600mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	60/130/156(120cm)

Option

Width	120cm
Extraction Power	2×1000m3/h
	2×650/900m3/h-DC Motor
Booster Function	Optional For Electronic Switch
Filter	Charcoal Filter/VC Filter
Lamp	Color LED Belt
Air outlet	120mm

Unit:mm



826




Standard Specifications

Material	Inox Aisi 430
	Black Glass
Switch	Touch Control
	3 Speeds
Filter	2 pcs Aluminum Filters
Lighting	LED Strip
Extraction Power	750m3/h
Motor Type	1×210W
Chimney Extension	N/A
Air Outlet	150mm
Loading QTY(20/40/HQ)	84/168/210

Option

Width	90cm
Material	Inox Aisi304/Black/White/Brown... Paint
	White/Smoke Grey Tempered Glass
Extraction Power	1000m3/h
	650/900m3/h-DC Motor
Switch	Touch Control Double Sides
Filter	Charcoal Filter/VC Filter
Air outlet	120mm

Unit:mm



827




Standard Specifications

Material	Inox Aisi 430
Switch	Touch Control
	3 Speeds
Filter	2 pcs Aluminum Filters
Lighting	4×1.5W LED Lamp
Extraction Power	750m3/h
Motor Type	1×210W
Chimney Extension	500+500mm
Air Outlet	150mm
Loading QTY(20/40/HQ)	80/168/168

Option

Width	70cm
Material	Inox Aisi304/Black/White/Brown... Color Painting
Extraction Power	1000m3/h
	650/900m3/h-DC Motor
Switch	Electronic Switch
Filter	Charcoal Filter/VC Filter
Air Outlet	120mm

Unit:mm



829




Standard Specifications

Material	White Paited+Wooden Frame
Switch	Touch Control
	3 Speeds
Filter	2 pcs Aluminum Filters
	Plasma Filter
Lighting	1×8W LED Pan
Extraction Power	750m3/h
Motor Type	1×210W
Chimney Extension	N/A
Air Outlet	150mm
Loading QTY(20/40/HQ)	50/120/144(90cm)

Option

Width	84cm
Material	Different Color For Wooden Frame
Extraction Power	1000m3/h
	650/900m3/h-DC Motor
Air Outlet	120mm

Unit:mm



833



Optional for color




Standard Specifications

Material	Black Paint
	Black Tempered Glass
Switch	Touch Control
	3 Speeds
Filter	1xCircle Aluminum Filter
Lighting	LED Ring
Extraction Power	750m3/h
Motor Type	1x210W
Chimney Extension	N/A
Air Outlet	150mm
Loading QTY(20/40/HQ)	192/400/400

Option

Width	41cm
Material	Different Color Paint
Extraction Power	350/550/1000m3/h
	650/900m3h-DC Motor
Switch	WiFi Connection
Filter	Charcoal Filter/VC Filter
	Plasma Filter
Air outlet	120mm

Unit:mm



Built-in series

Slim body keens on adorning cabinet, making you adore cook. Economical and practical, as well.

903




Standard Specifications

Material	White Paint
	Body Thickness:80mm
Switch	Push Button
	3 Speeds
Filter	2×3 Layer Aluminum Filter(60/70cm)
	3×3 Layer Aluminum Filter(90cm)
Lighting	1×40W Normal Lamp
Extraction Power	220m3/h
Motor Type	1×100W
Air Outlet	120mm
Loading QTY(20/40/HQ)	730/1400/1655(60cm)
	463/953/1100(90cm)

Option

Width	50/60/70/80/90cm
Material	Inox Aisi430/Black/Grey/Silver painting
Panel	Glass Visor
	Arylic Front Panel(Color Option)
Extraction Power	440m3/h
	2×100W
Switch	Electronic Switch/Touch Control
Filter	Metal Filter/Charcoal Filter Mat
Lighting	LED Lamp/Eco-Halogen Lamp

Unit:mm



903A




Standard Specifications

Material	White Paint
	Body Thickness:80mm
Switch	Push Button
	3 Speeds
Filter	Metal Filter+Acrylic Mat Filter
Lighting	1×2W LED Lamp
Extraction Power	220m3/h
Motor Type	1×100W
Air Outlet	120mm
Loading QTY(20/40/HQ)	768/1572/1762 (60cm)
	463/953/1100(90cm)

Option

Width	50/60/70/80/90cm
Material	Inox Aisi430/Black/Grey/Silver painting
Panel	Glass Visor
	Arylic Front Panel(Color Option)
Extraction Power	440m3/h
	2×100W
Filter	Aluminum Filter/Charcoal Filter Mat

Unit:mm



918A




Standard Specifications

Material	Inox Aisi 430
Switch	Push Button
	3 Speeds
Filter	2×5 Layer Aluminum Filter(60/70cm)
	3×5 Layer Aluminum Filter(90cm)
Lighting	1×2W LED Lamp
Extraction Power	350m3/h
Motor Type	1×75W
Air Outlet	120mm
Loading QTY(20/40/HQ)	551/1152/1296(60cm)
	448/930/1042(75cm)
	391/784/880(90cm)

Option

Width	60/70/75/90cm
Material	White/Black/Silver Painting
Filter	Baffle Filter/Charcoal Filter/VC Filter
Motor Options	1x100W/2x100W/2x75W Capacitor motor
Swith	Touch control/Electronic Switch

Unit:mm



918B




Standard Specifications

Material	Inox Aisi 430
Switch	Push Button
	3 Speeds
Filter	2×5 Layer Aluminum Filter(60/70cm)
	3×5 Layer Aluminum Filter(90cm)
Lighting	1×2W LED Lamp
Extraction Power	350m3/h
Motor Type	1×75W
Air Outlet	120mm
Loading QTY(20/40/HQ)	551/1152/1296(60cm)
	448/930/1042(75cm)
	391/784/880(90cm)

Option

Width	60/70/75/90cm
Material	White/Black/Silver Painting
Filter	Baffle Filter/Charcoal Filter/VC Filter
Motor Options	1x100W/2x100W/2x75W Capacitor motor

Unit:mm



905




Standard Specifications

Materia	White Paint
	Body Thickness:140mm
Switch	Push Button
	3 Speeds
Filter	2×5 Layer Aluminum Filter(60/70cm)
	3×5 Layer Aluminum Filter(90cm)
Lighting	1×40W Normal Lamp
Extraction Power	220m3/h
Motor Type	1×100W
Air Outlet	120mm
Loading QTY(20/40/HQ)	503/1031/1102(60cm)
	343/697/795(90cm)

Option

Width	50/60/70/80/90cm
Material	Inox Aisi304/Black/White/Brown... Paint
Panel	Glass Visor
	Arylic Front Panel(Color Option)
Extraction Power	440m3/h
	2×100W
Switch	Electronic Switch/Touch Control
Filter	Metal Filter/Charcoal Filter Mat/Round Charcoal Fitter
Lighting	LED Lamp/Eco-Halogen Lamp

Unit:mm



908




Standard Specifications

Material	Inox Aisi 430
Switch	Electronic Switch
	3 Speeds
Filter	2pcs Baffle Filters(75cm)
	3pcs Baffle Filters(90cm)
Lighting	2x1.5W LED Lamp
Extraction Power	750m3/h
Motor Type	1×210W
Air Outlet	150mm
Oil Cup	With
Loading QTY(20/40/HQ)	154/311/357(75cm)
	129/261/306(90cm)
	87/192/220(120cm)

Option

Width	75/90/120cm
Material	Inox Aisi304/Black/White/Silver...painting
Extraction Power	550/1000m3/h
	650/900-DC motor
Switch	Push Button/Touch Control
Filter	Charcoal Fiter

Unit:mm



906




Standard Specifications

Material	White Paint
	SS Front Handle
Switch	2 Speeds
	Mechanical Rocker Control
Filter	2×5 Layer Aluminum Filters
Lighting	2×40W Normal Lamp
Extraction Power	350m3/h
Motor Type	1×65W
Air Outlet	150mm
Loading QTY(20/40/HQ)	463/955/1064(60cm)
	320/666/735(90cm)

Option

Width	60/70/90cm
Material	Inox Aisi304/White/Black/Silver Paint
	Inox Aisi430 Bottom Frame
Switch	Electronic Switch/Touch Control
Filter	Charcoal Filter
Lighting	LED Lamp
Extraction Power	350m3/h -A class
Air Outlet	120mm

Unit:mm



909




Standard Specifications

Material	White Paint
	SS Front Handle
Switch	2 Speeds
	Mechanical Rocker Control
Filter	2×5 Layer Aluminum Filters
Lighting	2×40W Normal Lamp
Extraction Power	550m3/h
Motor Type	1×100W
Air Outlet	150mm
Loading QTY(20/40/HQ)	378/756/882(60cm)
	204/504/592(90cm)

Option

Width	60/70/90cm
Material	Inox Aisi304/White/Black/Silver Paint
	Inox Aisi430 Bottom Frame
Extraction Power	350/550/1000m3/h
	650/900-DC motor
Switch	Electronic Switch/Touch Control
Filter	Charcoal Fitter/VC Filter
Lighting	LED Lamp/Eco-Halogen Lamp
Air Outlet	120mm

Unit:mm



912




Standard Specifications

Material	White Paint
	SS Front Handle
Switch	2 Speeds
	Mechanical Rocker Control
Filter	2×5 Layer Aluminum Filters
Lighting	2×40W Normal Lamp
Extraction Power	2×220m3/h
Motor Type	2×100W
Air Outlet	120mm
Loading QTY(20/40/HQ)	583/1014/1290

Option

Width	60/70/90cm
Material	Inox Aisi304/White/Black/Silver Paint
	Inox Aisi430 Bottom Frame
Switch	Electronic Switch/Touch Control
Filter	Charcoal Filter
Lighting	LED/Eco-Haloge lamp
Motor	Single Motor

Unit:mm



913




Standard Specifications

Material	Inox Aisi 430
Switch	Push Button
	3 Speeds
Filter	1 pcs Aluminum Filter
Lighting	2×2W LED Lamp
Extraction Power	550m3/h
Motor Type	1×100W
Air Outlet	150mm
Loading QTY(20/40/HQ)	442/897/1036(52cm)
	288/576/672(75cm)
	246/495/574(90cm)

Option

Width	52/75/90cm
Material	Inox Aisi304/Black/Silver Paint
Extraction Power	350/750/1000m3/h
	650/900m3/h-DC Motor
Switch	Electronic Switch/Touch Control
Filter	Charcoal Fitter/VC Filter
Lighting	LED Strip
Air Outlet	120mm

Unit:mm



913




Standard Specifications

Material	Inox Aisi 430
	Black Tempered Glass
Switch	Push Button
	3 Speeds
Filter	1 pcs Aluminum Filter
Lighting	2×1.5W LED Strip
Extraction Power	550m3/h
Motor Type	1×100W
Air Outlet	150mm
Loading QTY(20/40/HQ)	442/897/1036(52cm)
	288/576/672(75cm)
	246/495/574(90cm)

Option

Width	52/75/90cm
Material	Inox Aisi304/Black/Silver Paint
	White/Grey Tempered Glass
Extraction Power	350/750/1000m3/h
	650/900m3/h-DC Motor
Switch	Electronic Switch/Touch Control
Filter	Charcoal Fitter/VC Filter
Lighting	LED lamp
Air Outlet	120mm

Unit:mm



913A




Standard Specifications

Material	Inox Aisi 430
Switch	Push Button
	3 Speeds
Filter	1 pcs Aluminum Filter
Lighting	2×2W LED Lamp
Extraction Power	180m3/h
Motor Type	1×60W
Air Outlet	120mm
Loading QTY(20/40/HQ)	786/1651/1903(52cm)

Option

Width	52cm
Material	Inox Aisi304/Black/Silver Paint
Extraction Power	220m3/h
	1×70W
Filter	Charcoal Filter/VC Filter

Unit:mm



913B




Standard Specifications

Material	Inox Aisi 430
Switch	Black Tempered Glass
	Touch Control
	3 Speeds
Filter	1pcs Aluminum Filter
	Perimeter Filter
Lighting	2x1.5W LED Strip
Extraction Power	550m3/h
Motor Type	1×100W
Air Outlet	150mm
Loading QTY(20/40/HQ)	359/720/840(52cm)
	252/516/602(75cm)
	215/444/518(90cm)

Option

Width	52/75/90cm
Material	White/Grey Tempered Glass
Extraction Power	350/750/1000m3/h
	650/900m3/h-DC Motor
Filter	Charcoal Fitter/VC Filter
Air Outlet	120mm

Unit:mm



913B




Standard Specifications

Material	Inox Aisi 430
Switch	Electronic Switch
	3 Speeds
Filter	1pcs Aluminum Filter
	SS Perimeter Filter
Lighting	2x1.5W LED Strip
Extraction Power	550m3/h
Motor Type	1×100W
Air Outlet	150mm
Loading QTY(20/40/HQ)	359/720/840(52cm)
	252/516/602(75cm)
	215/444/518(90cm)

Option

Width	52/75/90cm
Extraction Power	350/750/1000m3/h
	650/900m3/h-DC Motor
Switch	Touch Control
Filter	Charcoal Fitter/VC Filter
Air Outlet	120mm

Unit:mm



Accessories



Metal MotorHousing



PDCA Motor Housing



1000m3/h
Plastic Motor Housing



900m3/h-DC Motor
Plastic Motor Housing



750m3/h
Plastic Motor Housing



650m3/h-DC Motor
Plastic Motor Housing



550m3/h
Plastic Motor Housing



350m3/h
Plastic Motor Housing



NB01(40W)



NB02(28W)



LE01(1.5W)



LE02(1.5W)



LE03(1.5W)



LE04(2W-220V)



LE05(2W-220V)



LE06



LE07



Baffle Filter



AL.Filter



VC Filter



CM 150



CP 918



CP 100



CP 120

Every different collocation meet your different demands. Every single part together the beauty of your cooker hood into reality.



PLASMA



Noise Reducer



CS 100



CB 506



PU01
PU02



SE03



SE06



TO01
TO02




Wave
touch switch




TO06
(Invisible)



BT
(Blue Tooth)
Control



SE02



SE05



SE07
(Knob Switch)



TO03
TO05



M-touch



Remote
Control




WiFi
Control

INDUCTION HOB

Cooking with style ,
operating with smartness,
versatile is another synonym for our induction hob.


Series 90




HJ-IH885S-B

Cooking zones Left front zoned ø210mm (2300 W, with booster 2600 W) Left rear zone ø160mm (1200W,with booster 1500W) Central zone ø280mm (2300W,with booster 3000W) Right rear zone ø180mm (1800W,with booster 2300W) Right front zone ø160mm (1200W,with booster 1500W)	Characteristics Product name Built-in Induction hob Type of control Touch control Required niche size for installation (WxD) 875×495 Width of the product (mm) 900 Dimensions of the product (mm) 900×520×60 Net Weight(Kg) 16.1 Gross Weight(Kg) 21.8 Residual heat indicator Location of control panel Hob front Basic surface material Color of surface Black Color of frame Stainless steel (Optional) Approval certificates CB\CE\ERP\REACH Length electrical supply cord (cm) 100
SPECIAL FEATURES	
Features Cooking zone marking Pot detection Electronic power control in 9 outputlevels Booster	
Safety Residual heat indication Operation indicator Safety shut—off	
Connection Total connected load 9.3 kW Connecting cable 1.0 m without plug	

Unit:mm




Series 70




HJ-IH462IT-B

Cooking zones Left front zoned ø195cm (2000 W, with booster 2000 W) Right zone ø195cm (2000W,with booster 2300W)	Characteristics Product name Built-in Induction hob Type of control Touch control Required niche size for installation (WxD) 685×395 Width of the product (mm) 710 Dimensions of the product (mm) 700×400×60 Net Weight(Kg) 9.3 Gross Weight(Kg) 11.4 Residual heat indicator Location of control panel Hob front Basic surface material Color of surface Black Color of frame Stainless steel (Optional) Approval certificates CB\CE\ERP\REACH Length electrical supply cord (cm) 100
SPECIAL FEATURES	
Features Cooking zone marking Pot detection Electronic power control in 9 outputlevels Booster	
Safety Residual heat indication Operation indicator Safety shut—off	
Connection Total connected load 4.6kW Connecting cable 1.0 m without plug	

Unit:mm




Series 60




HJ-IH724S-B

Cooking zones Left front zoned ø210cm (2300 W, with booster 2600 W) Left rear zone ø160cm (1200W,with booster 1500W) Right rear zone ø180cm (1800W,with booster 2300W) Right front zone ø160cm (1200W,with booster 1500W)	Characteristics Product name Built-in Induction hob Type of control Touch control Required niche size for installation (WxD) 565×495 Width of the product (mm) 590 Dimensions of the product (mm) 590×520×60 Net Weight(Kg) 10.6 Gross Weight(Kg) 12.7 Residual heat indicator Location of control panel Hob front Basic surface material Color of surface Black Color of frame Stainless steel (Optional) Approval certificates CB\CE\ERP\REACH Length electrical supply cord (cm) 100
SPECIAL FEATURES	
Features Cooking zone marking Pot detection Electronic power control in 9 outputlevels Booster Safety Residual heat indication Operation indicator Safety shut—off Connection Total connected load 7.2 kW Connecting cable 1.0m without plug	

Unit:mm




Series 60




HJ-IH724T-BF

Cooking zones Left front zoned ø190cm (2000 W, with booster 2800 W) Left rear zone ø190cm (1500W,with booster 2000W) Right rear zone ø190cm (1500W,with booster 2000W) Right front zone ø190cm (2000W,with booster 2800W) Left Free zone 190×385mm (3000W,with booster 3600W) Right Free zone 190×385mm (3000W,with booster 3600W)	Characteristics Product name Built-in Induction hob Type of control Touch control Required niche size for installation (WxD) 565×495 Width of the product (mm) 590 Dimensions of the product (mm) 590×520×60 Net Weight(Kg) 10.6 Gross Weight(Kg) 12.7 Residual heat indicator Location of control panel Hob front Basic surface material Color of surface Black Color of frame Stainless steel (Optional) Approval certificates CB\CE\ERP\REACH Length electrical supply cord (cm) 100
SPECIAL FEATURES	
Features Cooking zone marking Pot detection Electronic power control in 9 outputlevels Booster function for both cooking zones Safety Residual heat indication Operation indicator Safety shut—off Connection Total connected load 7.2 kW Connecting cable 1.0 m without plug	

Unit:mm




Series 60




HJ-IH653S-B

Cooking zones Left front zoned ø210cm (2300 W, with booster 2600 W) Left front zone ø160cm (1200 W, with booster 1500 W) Right zone ø280cm (2300W,with booster 3000W)	Characteristics Product name Built-in Induction hob Type of control Touch control Required niche size for installation (WxD) 565×495 Width of the product (mm) 590 Dimensions of the product (mm) 590×520×60 Net Weight(Kg) 10.3 Gross Weight(Kg) 12.8 Residual heat indicator Location of control panel Hob front Basic surface material Color of surface Black Color of frame Stainless steel (Optional) Approval certificates CB\CE\ERP\REACH Length electrical supply cord (cm) 100
SPECIAL FEATURES	
Features Cooking zone marking Pot detection Electronic power control in 9 outputlevels Booster Safety Residual heat indication Operation indicator Safety shut—off Connection Total connected load 6.5 kW Connecting cable 1.0m without plug	

Unit:mm




Series 60



HJ-IH653IT-BF

Cooking zones Left front zoned ø190cm (2000 W, with booster 2800 W) Left front zone ø190cm (1500 W, with booster 2000 W) Right zone ø280cm (2300W,with booster 3000W) Left Free zone 190*385mm (3000 W, with booster 3600 W)	Characteristics Product name Built-in Induction hob Type of control Touch control Required niche size for installation (WxD) 565×495 Width of the product (mm) 590 Dimensions of the product (mm) 590×520×60 Net Weight(Kg) 10.3 Gross Weight(Kg) 12.8 Residual heat indicator Location of control panel Hob front Basic surface material Color of surface Black Color of frame Stainless steel (Optional) Approval certificates CB\CE\ERP\REACH Length electrical supply cord (cm) 100
SPECIAL FEATURES	
Features Cooking zone marking Pot detection Electronic power control in 9 outputlevels Booster Safety Residual heat indication Operation indicator Safety shut—off Connection Total connected load 6.5 kW Connecting cable 1.0 m without plug	

Unit:mm




Series 30



HJ-IH352IT-B

Cooking zones Left front zoned ø160cm (1200 W, with booster 1500 W) Left rear zone ø180cm (2000 W, with booster 2300 W)	Characteristics Product name Built-in Induction hob Type of control Touch control Required niche size for installation (WxD) 260×490 Width of the product (mm) 290 Dimensions of the product (mm) 290×520×60 Net Weight(Kg) 6.8 Gross Weight(Kg) 8.2 Residual heat indicator Location of control panel Hob front Basic surface material Color of surface Black Color of frame Stainless steel (Optional) Approval certificates CB\CE\ERP\REACH Length electrical supply cord (cm) 100
SPECIAL FEATURES	
Features Cooking zone marking Pot detection Electronic power control in 9 outputlevels Booster Safety Residual heat indication Operation indicator Safety shut—off Connection Total connected load 3.5 kW Connecting cable 1.0 m without plug	

Unit:mm



Series 30



HJ-IH261S-B

Cooking zones Central zoned 210cm (2300 W, with booster 2600 W)	Characteristics Product name Built-in Induction hob Type of control Touch control Required niche size for installation (WxD) 260×490 Width of the product (mm) 290 Dimensions of the product (mm) 290×520×60 Net Weight(Kg) 6.8 Gross Weight(Kg) 8.2 Residual heat indicator Location of control panel Hob front Basic surface material Color of surface Black Color of frame Stainless steel (Optional) Approval certificates CB\CE\ERP\REACH Length electrical supply cord (cm) 100
SPECIAL FEATURES	
Features Cooking zone marking Pot detection Electronic power control in 9 outputlevels Booster Safety Residual heat indication Operation indicator Safety shut—off Connection Total connected load 2.6 kW Connecting cable 1.0 m without plug	

Unit:mm

